


# Rivets aveugles ouverts ALFO®



## Série 10.700



aluminium / acier galvanisé



> tête plate  
> ouvert



2,4 - 3,2 mm EN AW - 5019 [AlMg5]  
4,0 - 7,8 mm EN AW - 5754 [AlMg3]

DIN EN ISO 15977

d	l +1	$\pm$	N°	
---	---------	-------	----	--

<b>2,4</b>	3,0	0,5 - 1,0	10.700.024.030	500
	4,0	0,5 - 2,0	10.700.024.040	500
	6,0	1,5 - 4,0	10.700.024.060	500
	8,0	3,5 - 6,0	10.700.024.080	500
	10,0	6,0 - 8,0	10.700.024.100	500
	12,0	8,0 - 10,0	10.700.024.120	500

<b>d<sub>k</sub> 5,0 -0,7</b>	<b>d<sub>m</sub> 1,5</b>	<b>k 0,55 ±0,15</b>	2,5 mm	380 N	600 N
-------------------------------	--------------------------	---------------------	--------	-------	-------

<b>3,0</b>	4,0	0,5 - 2,0	10.700.030.040	500
	5,0	1,0 - 3,0	10.700.030.050	500
	6,0	1,5 - 4,0	10.700.030.060	500
	7,0	3,0 - 5,0	10.700.030.070	500
	8,0	3,0 - 6,0	10.700.030.080	500
	10,0	5,0 - 7,5	10.700.030.100	500
	12,0	7,0 - 9,0	10.700.030.120	500
	16,0	9,0 - 12,5	10.700.030.160	500
	18,0	12,0 - 14,5	10.700.030.180	500
	20,0	13,0 - 16,5	10.700.030.200	500
	25,0	16,0 - 21,5	10.700.030.250	500

<b>d<sub>k</sub> 6,3 -0,7</b>	<b>d<sub>m</sub> 1,7</b>	<b>k 0,8 ±0,2</b>	3,1 mm	660 N	900 N
-------------------------------	--------------------------	-------------------	--------	-------	-------

<b>3,2</b>	4,0	0,5 - 1,5	10.700.032.040	500
	5,0	1,0 - 2,5	10.700.032.050	500
	6,0	1,5 - 3,5	10.700.032.060	500
	8,0	3,0 - 5,5	10.700.032.080	500
	10,0	5,0 - 7,5	10.700.032.100	500
	12,0	7,0 - 9,0	10.700.032.120	500
	14,0	8,5 - 10,5	10.700.032.140	500
	16,0	9,0 - 13,0	10.700.032.160	500
	18,0	10,0 - 14,5	10.700.032.180	500
	20,0	13,0 - 17,0	10.700.032.200	500
	25,0	16,0 - 21,5	10.700.032.250	500

<b>d<sub>k</sub> 6,5 -0,7</b>	<b>d<sub>m</sub> 1,9</b>	<b>k 0,8 ±0,2</b>	3,3 mm	660 N	1100 N
-------------------------------	--------------------------	-------------------	--------	-------	--------

d	l +1	$\pm$	N°	
---	---------	-------	----	--






<b>4,0</b>	4,0	0,5 - 1,5	10.700.040.040	500
	5,0	1,0 - 2,5	10.700.040.050	500
	6,0	1,0 - 3,5	10.700.040.060	500
	7,0	3,0 - 4,5	10.700.040.070	500
	8,0	3,0 - 5,5	10.700.040.080	500
	10,0	5,0 - 7,0	10.700.040.100	500
	12,0	6,5 - 9,0	10.700.040.120	500
	14,0	8,5 - 11,0	10.700.040.140	500
	16,0	8,5 - 12,5	10.700.040.160	500
	18,0	12,0 - 14,5	10.700.040.180	500
	20,0	12,5 - 16,5	10.700.040.200	500
	25,0	15,5 - 21,0	10.700.040.250	500
	30,0	20,5 - 26,0	10.700.040.300	500
	35,0	25,5 - 31,0	10.700.040.350	500
40,0	30,5 - 35,0	10.700.040.400	500	




NEW




<b>d<sub>k</sub> 8,0 -1,0</b>	<b>d<sub>m</sub> 2,0</b>	<b>k 1,0 ±0,3</b>	4,1 mm	1120 N	1420 N
-------------------------------	--------------------------	-------------------	--------	--------	--------





<b>4,8</b>	6,0	1,0 - 3,0	10.700.048.060	500
	7,0	1,0 - 4,0	10.700.048.070	500
	8,0	2,5 - 5,0	10.700.048.080	500
	9,0	2,5 - 6,0	10.700.048.090	500
	10,0	4,0 - 6,5	10.700.048.100	500
	12,0	6,0 - 8,0	10.700.048.120	500
	14,0	7,5 - 10,0	10.700.048.140	500
	16,0	8,0 - 12,0	10.700.048.160	500
	18,0	11,5 - 13,5	10.700.048.180	500
	20,0	12,0 - 15,5	10.700.048.200	500
	25,0	15,0 - 20,5	10.700.048.250	500
	30,0	20,0 - 25,0	10.700.048.300	500
	35,0	24,5 - 29,5	10.700.048.350	250
	40,0	29,0 - 34,5	10.700.048.400	250
	45,0	34,0 - 39,5	10.700.048.450	100
	50,0	39,0 - 44,5	10.700.048.500	100
	55,0	44,0 - 49,5	10.700.048.550	100
	60,0	49,0 - 54,5	10.700.048.600	100
	65,0	54,0 - 59,5	10.700.048.650	100
	70,0	59,0 - 64,5	10.700.048.700	100


<b>d<sub>k</sub> 9,1 -1,0</b>	<b>d<sub>m</sub> 2,7</b>	<b>k 1,1 ±0,3</b>	4,9 mm	1480 N	1950 N
-------------------------------	--------------------------	-------------------	--------	--------	--------

d	l +1		N°		
<b>5,0</b>	6,0	1,0 - 3,0	10.700.050.060	500	
	8,0	2,5 - 5,0	10.700.050.080	500	
	10,0	4,0 - 6,5	10.700.050.100	500	
	12,0	6,0 - 8,0	10.700.050.120	500	
	14,0	7,5 - 10,0	10.700.050.140	500	
	16,0	8,0 - 12,0	10.700.050.160	500	
	18,0	11,5 - 13,5	10.700.050.180	500	
	20,0	12,0 - 15,5	10.700.050.200	500	
	25,0	15,0 - 20,5	10.700.050.250	500	
	30,0	20,0 - 25,0	10.700.050.300	500	
	35,0	24,5 - 30,0	10.700.050.350	250	
	40,0	29,0 - 35,0	10.700.050.400	250	
	45,0	34,5 - 40,0	10.700.050.450	250	
	50,0	39,5 - 45,0	10.700.050.500	250	
<b>d<sub>k</sub> 9,1 -0,8</b>	<b>d<sub>m</sub> 2,7</b>	<b>k 1,1 ±0,3</b>	 5,1 mm	 1650 N	 2000 N

<b>6,0</b>	8,0	1,0 - 3,5	10.700.060.080	500	
	10,0	3,0 - 5,5	10.700.060.100	500	
	12,0	5,0 - 7,5	10.700.060.120	500	
	16,0	7,0 - 11,0	10.700.060.160	500	
	18,0	10,5 - 13,0	10.700.060.180	500	
	20,0	11,0 - 15,0	10.700.060.200	500	
	22,0	14,5 - 17,0	10.700.060.220	500	
	25,0	15,0 - 20,0	10.700.060.250	250	
	28,0	19,5 - 22,5	10.700.060.280	250	
	30,0	20,0 - 25,0	10.700.060.300	250	
	50,0	38,0 - 43,0	10.700.060.500	250	
<b>d<sub>k</sub> 12,0 -1,2</b>	<b>d<sub>m</sub> 3,2</b>	<b>k 1,5 ±0,4</b>	 6,1 mm	 2520 N	 2850 N

<b>6,4</b>	12,0	2,5 - 7,0	10.700.064.120	250	
	16,0	6,0 - 11,0	10.700.064.160	250	
	18,0	10,0 - 13,0	10.700.064.180	250	
	20,0	10,0 - 14,5	10.700.064.200	250	
	25,0	14,0 - 19,0	10.700.064.250	250	
	30,0	18,0 - 24,0	10.700.064.300	250	
	35,0	26,5 - 28,5	10.700.064.350	100	
	40,0	31,5 - 33,5	10.700.064.400	100	
	45,0	36,5 - 38,5	10.700.064.450	100	
<b>d<sub>k</sub> 13,0 -1,4</b>	<b>d<sub>m</sub> 3,6</b>	<b>k 1,8 ±0,4</b>	 6,5 mm	 2850 N	 4250 N

d	l +1		N°		
<b>7,8</b>	15,0	4,0 - 9,5	10.700.078.150	250	
	18,0	9,5 - 12,5	10.700.078.180	250	
	22,0	12,5 - 16,5	10.700.078.220	250	
	26,0	16,5 - 20,5	10.700.078.260	250	
	30,0	20,5 - 24,5	10.700.078.300	100	
	35,0	24,5 - 29,5	10.700.078.350	100	
	40,0	29,5 - 34,5	10.700.078.400	100	
	<b>d<sub>k</sub> 14,0</b>	<b>d<sub>m</sub> 3,7</b>	<b>k 2,0</b>	 8,0 mm	 6600 N

 Diamètre 7,8 non normé.

NEW

NEW

NEW